

## 7. Scientific output of the SSG 2.160

- [1] B. Armour, P. Farris-Manning, and P.W. Vachon. The suitability of RADARSAT's orbit for repeat pass SAR interferometry. In *Proc. Geomatics in the ERA of RADARSAT (GER'97), CD-ROM Proceedings, 27-30 May 1997, Ottawa, Ont., Canada, 1997.*
- [2] R. Bamler. Adapting precision standard SAR processors to ScanSAR. In *Proc. Int. Geoscience and Remote Sensing Symp. IGARSS'95, Florence, Italy, pages 2051–2053, 1995.*
- [3] R. Bamler. Adapting precision standard SAR processors to ScanSAR. In *Proc. Int. Geoscience and Remote Sensing Symposium, Florence, Italy, 1995.*
- [4] R. Bamler. Spaceborne SAR interferometry: principles, sensors and potentials. In *Proc. The space congress, Bremen, Germany, 1995.*
- [5] R. Bamler. X-SAR interferometry. In *Proc. Progress in Electromagnetic Research Symposium (PIERS), Seattle, 1995.*
- [6] R. Bamler. On the mystery of lost fringes in 2-D phase unwrapping by least squares estimation. In *Proc. Progress in Electromagnetics Research Symposium (PIERS), Innsbruck, Austria, 1996.*
- [7] R. Bamler. The X-SAR single-pass interferometer on SRTM: expected performance and processing concept. In *Proc. European conference on synthetic aperture radar (EUSAR, Königswinter, Germany, 1996.*
- [8] R. Bamler. Digital terrain models from radar interferometry. In *Proc. Photogrammetric Week '97, D. Fritsch and D. Hobbie (eds.), Wichmann, Karlsruhe, pages 93–105, 1997.*
- [9] R. Bamler. Multiresolution signal representation for phase unwrapping and interferometric SAR processing. In *Proc. Int. Geoscience and Remote Sensing Symp. IGARSS'97, Singapore, 1997.*
- [10] R. Bamler. Global minimization methods for interferometric phase unwrapping. In *Proc. Progress in Electromagnetics Research Symposium (PIERS), Nantes, 1998.*
- [11] R. Bamler, N. Adam, G.W. Davidson, and D. Just. Noise-induced slope distortion in 2-D phase unwrapping by linear estimators with application to SAR interferometry. *IEEE Trans. Geosci. Remote Sensing*, 36:913–921, 1998.
- [12] R. Bamler and G.W. Davidson. Multiresolution signal representation for phase unwrapping and interferometric SAR processing. In *Proc. Int. Geoscience and Remote Sensing Symp. IGARSS'97, Singapore, pages 865–868, 1997.*

- [13] R. Bamler, G.W. Davidson, and N. Adam. *On the nature of noise in 2-D phase unwrapping*, volume 2958 of *Microwave sensing and synthetic aperture radar SPIE*, pages 216–225. 1996.
- [14] R. Bamler and M. Eineder. ScanSAR processing using standard high precision SAR algorithms. *IEEE Trans. Geosci. Remote Sens.*, 34:212–218, 1996.
- [15] R. Bamler, M. Eineder, and H. Breit. The X-SAR single-pass interferometer on SRTM: expected performance and processing concept. In *Proc. EUSAR'96, Königswinter*, pages 181–184, 1996.
- [16] R. Bamler, D. Geudtner, B. Schättler, P.W. Vachon, U. Steinbrecher, J. Holzner, J. Mittermayer, H. Breit, and A. Moreira. RADARSAT scanSAR interferometry. In *Proc. Int. Geoscience and Remote Sensing Symp. IGARSS'99, Hamburg, Germany*, 1999.
- [17] R. Bamler and R. Hanssen. Decorrelation induced by interpolation errors in InSAR. In *Proc. Int. Geoscience and Remote Sensing Symp. IGARSS'97, Singapore*, pages 1710–1712, 1997.
- [18] R. Bamler and R. Hanssen. Decorrelation induced by interpolation errors in InSAR. In *Proc. Int. Geoscience and Remote Sensing Symp. IGARSS'97, Singapore*, 1997.
- [19] R. Bamler and Ph. Hartl. Synthetic aperture radar interferometry. *Inverse Problems*, 14:R1–R54, 1998.
- [20] H. Breit and R. Bamler. An InSAR processor for on-board performance monitoring of the SRTM/X-SAR interferometer. In *Proc. Int. Geoscience and Remote Sensing Symp. IGARSS'98, Seattle*, 1998.
- [21] P. Briole, D. Massonnet, and C. Delacourt. Post-eruptive deformation associated with the 1986-87 and 1989 lava flows of Etna, detected by radar interferometry. *Geophys. Res. Lett.*, 24/1:37–40, 1997.
- [22] C. Carnec, D. Massonnet, and C. King. Two examples of the application of SAR interferometry to sites of small extent. *Geophys. Res. Lett.*, 23/24:3579–3582, 1996.
- [23] M. Costantini and P.A. Rosen. A generalized phase unwrapping approach for sparse data. In *Proc. Int. Geoscience and Remote Sensing Symp. IGARSS'99, Hamburg, Germany*, 1999.
- [24] I. Cumming, J.-L. Valero, P.W. Vachon, K. Mattar, D. Geudtner, and L. Gray. Glacier flow measurements with ERS tandem mission data. In *Proc. Fringe'96 Workshop on ERS SAR Interferometry, 30 Sept.-2 Oct. 1996, Remote Sensing Laboratories, University of Zurich, Switzerland, ESA SP-406*, pages 353–362, 1997.

- [25] I. Cumming, J.-L. Valero, P.W. Vachon, M. Brugman, M. Seymour, and A.L. Gray. Results of ERS interferometry measurements of alpine glaciers. In *Proc. 18th Canadian symposium on remote sensing, 25-29 March, Vancouver, Canada, 1996*.
- [26] G.W. Davidson and R. Bamler. *Robust 2-D phase unwrapping based on multiresolution*, volume 2958 of *Microwave sensing and synthetic aperture radar SPIE*, pages 226–237. 1996a.
- [27] G.W. Davidson and R. Bamler. A multiresolution approach to improve phase unwrapping. In *Proc. Int. Geoscience and Remote Sensing Symp. IGARSS'96, Lincoln, Nebraska, 1996*, pages 2050–2053, 1996b.
- [28] G.W. Davidson and R. Bamler. Multiresolution phase unwrapping for SAR interferometry. *IEEE Trans. Geosci. Remote Sensing*, 37(1):163–174, 1999.
- [29] M.A. D'Iorio, B.G. Brisco, P.A. Budkewitsch, D. Geudtner, P.W. Vachon, and J. Wolfe. Geological and morphological control on ERS-1 SAR coherence images of Bathurst Island. In *Proc. of the 26th International Symposium on Remote Sensing of Environment/18th Annual Symposium of the Canadian Remote Sensing Society*, pages 107–111, 1996.
- [30] P. Franceschetti, M. Tesauro, and P.A. Rosen. One-bit coding for spotlight SAR: applications, algorithms and architecture implementation. In *Proc. Int. Geoscience and Remote Sensing Symp. IGARSS'99, Hamburg, Germany, 1999*.
- [31] S. Fujiwara, P.A. Rosen, M. Tobita, and M. Murakami. Crustal deformation measurements using JERS-1 SAR interferometry near the Izu peninsula, Japan. *J. Geophys. Res.*, 103:2411–2426, 1998.
- [32] D.I. Galloway, K.W. Hudnut, S.E. Ingebritsen, S.p. Phillips, G. Peltzer, F. Rogez, and P.A. Rosen. INSAR detection of aquifer-system compaction and land subsidence, Antelope Valley, Mojave Desert, California. *Water Resources Res.*, 1998.
- [33] D. Geudtner, P.W. Vachon, K.E. Mattar, and A.L. Gray. RADARSAT repeat-pass SAR interferometry: Results over an arctic test site.
- [34] D. Geudtner, R. Winter, and P.W. Vachon. Flood monitoring using ERS-1 SAR interferometry coherence maps. In *Proc. Int. Geoscience and Remote Sensing Symp. IGARSS'96, Lincoln, Nebraska, 27-31 May 1996*, pages 966–968, 1996.
- [35] H.B. Granberg and P.W. Vachon. Delineation of discontinuous permafrost at Schefferville using RADARSAT in interferometric mode. In *Proc. 7th Int. Conf. on Permafrost, 22-26 Juni 1998, Yellowknife, NWT, Canada, 1998*.

- [36] A.L. Gray, K.E. Mattar, D. Geudtner, and P.W. Vachon. Experiments at CCRS using ERS tandem mode data. In *Proc. 3rd ERS Symposium on Space at the Service of our Environment, Florence, Italy, 17-21 March 1997, ESA SP-414*, volume 2, pages 1001–1006, 1997.
- [37] A.L. Gray, K.E. Mattar, and P.W. Vachon. RADARSAT interferometric ESAR results obtained over Antarctic terrain. In *Proc. CEOS Workshop, ESA-ESTEC, February 1998, Noordwijk, The Netherlands*, 1998.
- [38] R. Hanssen. *Atmospheric heterogeneities in ERS tandem SAR interferometry*. DEOS Report no. 98.1. Delft University Press, 1998.
- [39] R. Hanssen and A. Feijt. A first quantitative evaluation of atmospheric effects on SAR interferometry. In *Proc. ESA FRINGE'96 Workshop, Zürich*, 1996.
- [40] R. Hanssen and S. Usai. A time series approach for monitoring slow deformation processes. In *Proc. 3rd ERS Workshop, Florence, Italy, 17-21 May*, 1997.
- [41] R. Hanssen, T.M. Weckwerth, H.A. Zebker, and R. Klees. High-resolution water vapor mapping from interferometric radar measurements. *SCIENCE*, 283:1297–1299, 1999.
- [42] Ramon Hanssen and Richard Bamler. Evaluation of interpolation kernels for SAR interferometry. *IEEE Trans. Geosci. Remote Sensing*, 37/1:318–321, 1999.
- [43] Ph. Hartl, Ch. Hug, U. Kälberer, and A. Wehr. Integriertes Laser-/Radar zur Erfassung von Geländeoberflächen. *Allgemeine Vermessungsnachrichten*, 2/96:62–72, 1996.
- [44] Ph. Hartl and K.-H. Thiel. Das Nutzungspotential der Satellitentechnik für wissenschaftliche und praktische Anwendungen. *Akademie-Journal*, 2/96:22–29, 1996.
- [45] Ph. Hartl and K.-H. Thiel. Satellitengestützte Ortung und Navigation. *Spektrum der Wissenschaft*, pages 102–106, 1996.
- [46] Ph. Hartl, K.-H. Thiel, X. Wu, and Y. Xia. Earth observation by means of SAR present state and future possibilities. In *Proc. Photogrammetric Week '95, Wichmann Verlag*, pages 102–106, 1995.
- [47] B. Hernandez, F. Cotton, M. Campillo, and D. Massonnet. A comparison between short-term (co-seismic) and long term (one year) slip for the Landers earthquake: measurements from strong motion and SAR interferometry. *Geophys. Res. Lett.*, 24/13:1579–1582, 1997.
- [48] T. Hirose and P.W. Vachon. Demonstration of ERS tandem mission SAR interferometry for mapping land fast ice evolution. *Can. J. Rem. Sens.*, 1998.

- [49] J.-L. Valero I. Cumming, M. Seymour, P. Vachon, K. Mattar, D. Geudtner, and L. Gray. Glacier flow measurements with ERS tandem mission data. In *Proc. ESA FRINGE'96 Workshop, Zürich*, 1996.
- [50] D. Just, N. Adam, M. Schwäbisch, and R. Bamler. Comparison of phase unwrapping algorithms for SAR interferograms. In *Proc. Int. Geoscience and Remote Sensing Symp. IGARSS'95, Florence, Italy*, pages 767–769, 1995.
- [51] D. Just and R. Bamler. Spaceborne SAR interferometry: principles, sensors, and potentials. In *Proc. European Space Congress, Hamburg, Germany*, 1995.
- [52] R. Klees and D. Massonnet. Deformation measurements using SAR interferometry: potential and limitations. *Geologie en Mijnbouw*, 1999.
- [53] R. Lanar, S. Hensley, and P.A. Rosen. Chirp z-transform based SPECAN approach for phase-preserving ScanSAR image generation. *IEE Proc.-Radar, Sonar, Navig.*, 145/5, 1998.
- [54] C.E. Livingstone, A.L. Gray, R.K. Hawkins, P.W. Vachon, T.I. Lukowski, and M. LaLonde. The CCRS airborne SAR systems: radar for remote sensing research. *Canadian Journal of Remote Sensing*, 21:468–491, 1995.
- [55] D. Massonnet and J. Boutry. Le futur du radar: Imagerie en trois dimensions. *Science et Défense 96 - Nouvelles avancées scientifiques et techniques*, pages 297–307, 1996.
- [56] D. Massonnet. Tracking the Earth's surface at the centimetre level: an introduction to radar interferometry. *Nature and Resources (UNESCO)*, 1996.
- [57] D. Massonnet. Satellite radar interferometry. *Scientific American*, 1997.
- [58] D. Massonnet. The future of interferometry: new users and new missions. In *Proc. 2nd Workshop on SAR Interferometry, Tsukuba, Japan*, pages 143–153, 1998.
- [59] D. Massonnet, F. Adragna, E. Xenofontov, and I. Elissavetine. Advanced use of Almaz radar data. *Acta Astronautica*, 35/7:461–465, 1995.
- [60] D. Massonnet, P. Briole, and A. Arnaud. Deformation of Mount Etna monitored by spaceborne radar interferometry. *Nature*, 375:567–570, 1995.
- [61] D. Massonnet and K. Feigl. Satellite radar interferometric map of the coseismic deformation field of the M=6.1 Eureka Valley, California earthquake of 17 May 1993. *Geophys. Res. Lett.*, 22/12:1541–1544, 1995.
- [62] D. Massonnet and K. Feigl. Radar interferometry and its applications to changes in the earth's surface. *Review of Geophysics*, 36(4):441–500, 1998.

- [63] D. Massonnet, K. Feigl, H. Vadon, and M. Rossi. Coseismic deformation field of the M=6.7 Northridge, California earthquake of January 17, 1994 recorded by two radar satellites using interferometry. *Geophys. Res. Lett.*, 23/9:969–972, 1996.
- [64] D. Massonnet and K.L. Feigl. Discriminating of geophysical phenomena in satellite radar interferograms. *Geophys. Res. Lett.*, 22/12:1537–1540, 1995.
- [65] D. Massonnet, T. Holzer, and H. Vadon. Land subsidence caused by the East Mesa geothermal field, California, observed using SAR interferometry. *Geophys. Res. Lett.*, 24:901–904, 1997. Correction, *Geophys. Res. Lett.*, 25, 3213, 1998.
- [66] D. Massonnet, W. Thatcher, and H. Vadon. Detection of postseismic fault zone collapse following the landers earthquake. *Nature*, 382:612–616, 1996.
- [67] D. Massonnet and H. Vadon. ERS-1 internal clock drift measured by interferometry. *IEEE Trans. Geoscience and Remote Sensing*, 33/2:401–408, 1995.
- [68] D. Massonnet, H. Vadon, and M. Rossi. Reduction of the need for phase unwrapping in radar interferometry. *IEEE Trans. Geosci. Remote Sens.*, 34:489–497, 1996.
- [69] K.E. Mattar, A.L. Gray, D. Geudtner, and P.W. Vachon. Interferometry for DEM and terrain displacement: Effects of inhomogeneous propagation. *Can. J. Rem. Sens.*, 1998.
- [70] K.E. Mattar, P.W. Vachon, D. Geudtner, A.L. Gray and I. Cumming, and M. Brugman. Validation of alpine glacier velocity measurements using ERS tandem-mission SAR data. *IEEE Trans. Geoscience Rem. Sens.*, 36:974–984, 1998.
- [71] B. Meyer, R. Armijo, D. Massonnet, J.B. de Chabaliere, C. Delacourt, J.C. Ruegg, J. Achache, P. Briole, and D. Papanastassiou. The 1995 Grevena (Northern Greece) earthquake: fault model constrained with tectonic observations and SAR interferometry. *Geophys. Res. Lett.*, 23/9:2677–2680, 1996.
- [72] W.M. Moon, J. Ristau, P. Vachon, A. Tanaka, and Y. Yamaguchi. Investigation of Nahanni Earthquake tectonics using spaceborne SAR techniques. In *Proc. Second Workshop on SAR Interferometry, Tsukuba, Japan, November 18-20*, pages 209–219, 1998.
- [73] B. Moorman and P.W. Vachon. Detecting ground ice melt with interferometric synthetic aperture radar. In *Proc. 20th Canadian Symposium on Remote Sensing, 10-13 May, Calgary, Alt., Canada*, pages 145–148, 1998.

- [74] J. Moreira, M. Schwäbisch, G. Fornaro, R. Lanari, R. Bamler, D. Just, U. Stein-Brechtel, H. Breit, M. Franceschetti, D. Geudtner, and H. Rinkel. X-SAR interferometry: first results. *IEEE Trans. Geosci. Remote Sensing*, 33:950–956, 1995.
- [75] M. Murakami, S. Fujiwara, and T. Saito. Detection of crustal deformations associated with the 1995 Hyogo-ken-nanbu earthquake by interferometric SAR (in Japanese). *Biannu. Rep. Geogr. Surv. Inst.*, 83:24–27, 1995.
- [76] M. Murakami, S. Fujiwara, M. Tobita, K. Nitta, H. Nakagawa, S. Ozawa, and H. Yarai. Progress in SAR interferometry for the detection of crustal deformations by the Geographical Survey Institute. In *Proc. Second Workshop on SAR Interferometry, Tsukuba, Japan, November 18-20*, pages 157–166, 1998.
- [77] M. Murakami, M. Tobita, S. Fujiwara, T. Saito, and H. Masaharu. Co-seismic crustal deformations of 1994 Northridge, California earthquake detected by interferometric JERS 1 synthetic aperture radar. *J. Geophys. Res.*, 101:8605–8614, 1996.
- [78] M. Murakami, M. Tobita, H. Nakagawa, K. Nitta, M. Murakami, M. Shimada, H. Oaku, K. Isono, P.A. Rosen, and S. Fujiwara. Crustal deformations associated with 1995 Neftegorsk, Northern Sakhalin, Earthquake detected by JERS-1/SAR interferometry. In *Proc. of the 86th meeting of the Geodetic Society of Japan, Kochi, Japa*, 1996.
- [79] H. Nakagawa, M. Tobita, S. Fujiwara, S. Ozawa, K. Nitta, Mas. Murakami, Mak. Murakami, M. Shimada, and P.A. Rosen. Fault model of the 1995 Neftegorsk, Northern Sakhalin Earthquake based on crustal deformation detected by JERS-1/SAR interferometry. In *Proc. Int. Geoscience and Remote Sensing Symp. IGARSS'97, Singapore*, 1997.
- [80] S. Ozawa, M. Murakami, S. Fujiwara, and M. Tobita. Synthetic aperture radar interferogram of the 1995 Kobe earthquake and its geodetic inversion. *Geophys. Res. Letter*, 24:2327–2330, 1997.
- [81] T. Ozawa, H. Nakagawa, K. Nitta, Mak. Murakami, Mas. Murakami, M. Tobita, S. Fujiwara, K. Doi, and K. Shibuya. Detection of ice sheet motion by JERS-1 SAR interferometry. In *Proc. Second Workshop on SAR Interferometry, Tsukuba, Japan, November 18-20*, pages 243–248, 1998.
- [82] G. Peltzer and P.A. Rosen. Surface displacement of the 17 May 1993 Eureka Valley, California, earthquake observed by SAR interferometry. *SCIENCE*, 268:1333–1336, 1995.
- [83] G. Peltzer, P.A. Rosen, F. Rogez, and K. Hudnut. Post-seismic rebound in fault step-overs caused by pore fluid flow. *SCIENCE*, 273:1202–1204, 1996.

- [84] G. Peltzer, P.A. Rosen, F. Rogez, and K. Hudnut. Poro-elastic rebound along the Landers 1992 earthquake surface rupture. *J. Geophys. Res.*, 1998. Accepted for publication.
- [85] P.A. Rosen, S. Hensley, H.A. Zebker, F.H. Webb, and E.J. Fielding. Surface deformation and coherence measurements of Kilauea Volcano, Hawaii from SIR-C radar interferometry. *J. Geophys. Res.*, 101:23,109–23,125, 1996.
- [86] P.A. Rosen, C. Werner, E. Fielding, S. Hensely, S. Buckley, and P. Vincent. Aseismic creep along the San Andreas fault northwest of Parkfield, California, measured by radar interferometry. *Geophys. Res. Lett.*, 25:825–828, 1998.
- [87] M. Rossi, B. Rogron, and D. Massonnet. JERS-1 SAR image quality and interferometric potential. *IEEE Trans. Geoscience and Rem. Sensing*, 34/3:824–827, 1996.
- [88] J.-P. Rudant, A. Bedidi, R. Calonne, D. Massonnet, G. Nesti, and D. Tarchi. Laboratory experiments for the interpretation of phase shift in SAR interferograms. In *Proc. ESA FRINGE'96 Workshop on Applications of ERS SAR Interferometry*, 1996.
- [89] F. Sarti, H. Vadon, and D. Massonnet. A method for the automatic characterization of InSAR atmospheric artifacts by correlation of multiple interferograms over the same site. In *Proc. Int. Geoscience and Remote Sensing Symp. IGARSS'99, Hamburg, Germany*, 1999.
- [90] M. Schmidt. Moderne Methoden der Signalanalyse. Internal report ms/67/95, German Geodetic Research Institute DGFI I, 1996.
- [91] M. Schmidt. Moderne Methoden der Signalanalyse. *Zeitschrift für Vermessungswesen*, 7/96:315–325, 1996.
- [92] J. Schulz-Stellenfleth, S. Lehner, and R. Bamler. Ocean wave imaging by cross track interferometry - The SINEWAVE experiment. In *Proc. CEOS SAR Calibration Workshop, ESA/ESTEC, Noordwijk*, 1998.
- [93] J. Schulz-Stellenfleth, S. Lehner, R. Bamler, and J. Horstmann. A model for ocean wave imaging by a single-pass cross track interferometric SAR (InSAR) - The SINEWAVE Experiment. In *Proc. Int. Geoscience and Remote Sensing Symp. IGARSS'98, Seattle*, 1998.
- [94] F. Sigmundsson, H. Vadon, and D. Massonnet. Readjustment of the Krafla spreading segment to crustal rifting measured by Satellite Radar Interferometry. *Geophys. Res. Lett.*, 24/15:1843–1846, 1997.
- [95] H. Tarayre and D. Massonnet. Atmospheric propagation heterogeneities revealed by ERS-1 interferometry. *Geophys. Res. Lett.*, 23/9:989–992, 1996.



- [96] W. Thatcher and D. Massonnet. Crustal deformation at Long Valley Caldera, Eastern California, 1992-1996 inferred from satellite radar interferometry. *Geophys. Res. Lett.*, 24/20:2519–2522, 1997.
- [97] K.-H. Thiel, Ph. Hartl, and X. Wu. Monitoring the ice movements with ERS SAR interferometrie in the Antarctic region. In *Proc. 2nd ERS Applications Workshop, London*, volume ESA SP-383, pages 219–223, 1996.
- [98] K.-H. Thiel and X. Wu. Monitoring ice movement in Antarctica. In *Proc. of the Sixth International Offshore and Polar Engineering Conference, Los Angeles, Vol. II*, pages 401–405, 1996.
- [99] K.-H. Thiel, X. Wu, and Ph. Hartl. ERS tandem interferometric observation of volcanic activities in Iceland. In *Proc. 3rd ERS Workshop, Florence, Italy, 17-21 May*, volume ESA SP-414/II, pages 475–481, 1997.
- [100] M. Tobita, S. Fujiwara, S. Ozawa, P.A. Rosen, E.J. Fielding, C.L. Werner, M. Murakami, H. Nakagawa, K. Nitta, and M. Murakami. Deformation of the 1995 North Sakhalin earthquake detected by JERS-1/SAR interferometry. *Earth Planets Space*, 50:313–325, 1998.
- [101] M. Tobita, S. Fujiwara, H. Yarai, S. Ozawa, M. Murakami, H. Nakagawa, K. Nitta, P.A. Rosen, C.L. Werner, and M. Shimada. Crustal deformation association with the March 1997 Kagoshima-ken Hokusei-bu earthquake detected by InSAR and GPS. In *Proc. Second Workshop on SAR Interferometry, Tsukuba, Japan, November 18-20*, pages 221–228, 1998.
- [102] R. Touzi, A. Lopes, J. Bruniquel, and P. Vachon. Unbiased estimation of the coherence from multi-look SAR data. *Proc. IEEE*, pages 662–664, 1996.
- [103] R. Touzi, A. Lopes, J. Bruniquel, and P.W. Vachon. Coherence estimation for SAR imagery. *IEEE Trans. Geoscience Rem. Sens.*, 1998. accepted for publication.
- [104] R. Touzi, A. Lopes, and P.W. Vachon. Estimation of the coherence function for interferometric SAR applications. In *Proc. EUSAR'96*, pages 242–244, 1996.
- [105] S. Usai and R. Hanssen. Long time scale InSAR by means of high coherence features. In *Proc. 3rd ERS Workshop, Florence, Italy, May 17-21*, 1997.
- [106] S. Usai and R. Klees. On the feasibility of long time scale InSAR. In *Proc. Int. Geoscience and Remote Sensing Symp. IGARSS'98, Seattle, 6-10 July*, volume 5, pages 2448–2450, 1998.
- [107] S. Usai and R. Klees. An analysis of the interferometric characteristics of anthropogenic features. *submitted for publication to IEEE Trans. Geosci. Remote Sens.*, 1999.

- [108] S. Usai and R. Klees. On the interferometric characteristics of anthropogenic features. In *Proc. Int. Geoscience and Remote Sensing Symp. IGARSS'99, Hamburg, Germany, 1999*.
- [109] P.W. Vachon, D. Geudtner, A.L. Gray, and R. Touzi. ERS-1 synthetic aperture radar repeat-pass interferometry studies: Implications for RADARSAT. *Canadian Journal of Remote Sensing*, 21:441–454, 1995.
- [110] P.W. Vachon, D. Geudtner, L. Gray, K. Mattar, M. Brugman, I. Cumming, and J.-L. Valero. Airborne and spaceborne SAR interferometry: Application to the athabasca glacier area. In *Proc. Int. Geoscience and Remote Sensing Symp. IGARSS'96, Lincoln, Nebraska, 27-31 May 1996*, pages 2255–2257, 1996.
- [111] P.W. Vachon, D. Geudtner, K. Mattar, A.L. Gray, M. Brugman, and I. Cumming. Differential SAR interferometry measurements of Athabasca and Saskatchewan Glacier flow rate. *Canadian Journal of Remote Sensing/Journal Canadien de teledetection*, 22/3:287–296, 1996.
- [112] P.W. Vachon, A.L. Gray, and D. Geudtner. ERS-1 SAR repeat-pass interferometry: Temporal coherence and implications for RADARSAT. In *Proc. 17th Canadian Symposium on Remote Sensing, Saskatoon, Sask., Canada, 1995*, pages 803–898, 1995.
- [113] P.W. Vachon, A.L. Gray, and K.E. Mattar. RADARSAT and ERS repeat-pass interferometry at CCRS. In *Proc. Second Workshop on SAR Interferometry, Tsukuba, Japan, November 18-20, 1998*, pages 173–182, 1998.
- [114] P.W. Vachon, K. Katsaros, P. Black, and P. Dodge. RADARSAT synthetic aperture radar measurements of some 1998 hurricanes. In *Proc. Int. Geoscience and Remote Sensing Symp. IGARSS'99, Hamburg, Germany, 1999*.
- [115] R.J.P. van Bree, R. Gens, J.S. Groot, D. van Halsema (ed.), R.F. Hanssen, P. van den Hout, R. Klees, E.J. de Min, E.J.O. Schrama, and S. Usai. Deformation measurements with SAR. Technical report, TNO Physics and Electronics Laboratory, Delft, The Netherlands, 1999.
- [116] C.L. Werner, P.A. Rosen, and S. Hensley. Interferometric SAR systems development at JPL: sensors and processing techniques. In *Proc. 2nd Workshop on SAR Interferometry, Tsukuba, Japan, 1998*, pages 155–156, 1998.
- [117] X. Wu and K.-H. Thiel. The use of tandem data in the Antarctic area. In *Proc. ESA FRINGE'96 Workshop, Zürich, 1996*.
- [118] X. Wu, K.-H. Thiel, and P. Hartl. Estimating ice changes by SAR interferometry. In *Proc. 3rd Int. Airborne Remote Sensing Conf. and Exhibition, Copenhagen, 1997*, pages 110–117, 1997.

- [119] H. Zebker, P.A. Rosen, S. Hensley, and P.J. Mouginis-Mark. Analysis of active lava flows on Kilauea volcano, Hawaii, using SIR-C radar correlation measurements. *Geology*, 24(6):495–498, 1996.
- [120] H.A. Zebker, P.A. Rosen, and S. Hensley. Atmospheric effects in interferometric synthetic aperture radar surface deformation. *J. Geophys. Res.*, 102:7547–7563, 1997.
- [121] H.A. Zebker, P.A. Rosen, S. Hensley, and P.J. Mouganis-Mark. Analysis of active lava flows on Kilauea Volcano, Hawaii, using SIR-C radar correlation measurements. *Geology*, 24:495, 1995.
- [122] M. Zink, R. Bamler, A. Moreira, K. Papathanassiou, R. Scheiber, and H. Öttl. Status of SAR interferometry and its applications at DLR. In *Proc. 7th ISPRS symposium physical measurements and signatures in remote sensing, Courchevel, France*, 1997.